

Cuidados y Mantenimiento

Microcemento Homecret

La **durabilidad** de los suelos de Microcemento READY depende en gran medida de un **mantenimiento adecuado**. La limpieza regular elimina partículas de suciedad que provocan rayado y desgaste prematuro.

El uso periódico de **ceras autobrilho diluidas en agua** renueva la capa protectora del suelo gracias al residuo polimérico que dejan en la superficie, prolongando su vida útil y conservando el acabado original.

Limpieza general

No es necesaria maquinaria específica. La limpieza puede realizarse con fregona, mopa o paños suaves. La frecuencia dependerá del uso del espacio, siendo similar a la de cualquier pavimento continuo.

Recomendaciones básicas

- Limpiar regularmente con agua y jabón neutro
- Utilizar paños suaves, mopas o fregona
- Secar la superficie tras la limpieza en zonas húmedas
- Mantener limpias las zonas de unión y desagües

 ***Evitar siempre productos agresivos o abrasivos.***

Tipos de limpieza recomendados

- **Primeros lavados:** agua caliente, jabón neutro y cera líquida. Limpieza diaria durante los primeros usos.
- **Lavado habitual:** agua caliente y jabón neutro líquido, 2–3 veces por semana.
- **Lavado y encerado:** limpieza con jabón neutro y, una vez seco, aplicación de cera autobrilho diluida.

Para un mayor brillo, frotar con una mopa limpia y seca una vez seca la superficie.

Limpieza de manchas puntuales

- Limpiar con estropajo húmedo y jabón neutro, frotando suavemente.
- Para manchas resistentes, es eficaz el uso de CIF.

Paredes. Requieren menor mantenimiento. Limpiar con:

- Limpiadores en spray para muebles
- Agua y jabón neutro

Productos recomendados

- DON LIMPIO PH NEUTRO (limpiador líquido desengrasante)
- Cera autobrillante ALEX (líquido para diluir en agua)
- PRONTO (limpiador en spray para muebles)
- CIF

Productos aceptados (siempre diluidos)

 **Probar previamente en una zona poco visible.**

- Lejía
- Alcohol
- Químicos y disolventes en general

 **No usar nunca:**

- **VIKAL (antical)**

Productos permitidos: jabón neutro, limpiadores pH neutro

Evitar: lejía, amoníaco, desengrasantes fuertes, anticales agresivos y estropajos metálicos

 **Una limpieza inadecuada puede dañar el barniz y alterar el acabado del microcemento.**

Maintenance and Cleaning

Homecret Microcemento

The durability of READY Microcemento floors largely depends on proper maintenance. Regular cleaning removes dirt particles that cause scratching and premature wear.

The periodic use of self-shine wax diluted in water renews the protective layer thanks to the polymer residue left on the surface, extending durability and preserving the original finish.

General cleaning

No specific machinery is required. Cleaning can be done using a mop, microfiber mop, or soft cloths. Cleaning frequency depends on usage and is similar to any continuous flooring.

Basic recommendations

- Clean regularly with water and neutral soap
- Use soft cloths, mops, or microfiber mops
- Dry the surface after cleaning in wet areas
- Keep joints and drains clean

 ***Always avoid aggressive or abrasive products.***

Types of cleaning

- **Initial cleaning:** hot water, neutral soap, and liquid wax. Daily cleaning during first uses.
- **Regular cleaning:** hot water and neutral liquid floor soap, 2–3 times per week.
- **Cleaning and waxing:** clean with neutral soap, then apply diluted self-shine wax once dry.

For extra shine, buff with a clean, dry mop once the surface is dry.

Spot cleaning

- Clean with a damp sponge and neutral soap, rubbing gently.
- For stubborn stains, CIF is effective.

Walls require less maintenance. Clean using:

- Furniture spray cleaners
- Water and neutral soap

Recommended products

- DON LIMPIO PH NEUTRO
- ALEX Self-Shine Wax
- PRONTO
- CIF

Accepted products (always diluted)

Test first on an inconspicuous area.

- Bleach
- Alcohol
- General chemicals and solvents

Never use:

- VIAKAL (limescale remover)

Allowed: neutral soap, pH-neutral cleaners

Avoid: bleach, ammonia, strong degreasers, aggressive limescale cleaners, and abrasive pads

 ***Improper cleaning may damage the varnish and alter the microcement finish.***